

EC #:

## XI'AN FUNCTION MATERIAL GROUP CO., LTD Safety Data Sheet Lithium Oxide

## 1. Product and Company Identification

Trade Name:	Lithium Peroxide
Chemical Formula:	Li <sub>2</sub> O <sub>2</sub>
Manufacturer/Supplier:	XI'AN FUNCTION MATERIAL GROUP CO., LTD No.
Street:	69, Gazelle Valley, High-Tech Zone
City:	XI'AN
State:	Shaanxi
Zip Code:	710077
Country:	China
Tel #:	+86-29-88993870/+86-13519132051
	2. Hazards Identification
Signal Word:	Danger
Hazard Statements:	H272 May intensify fire; oxidizer
	H314+H318 Causes severe skin and eye damage
Precautionary Statements:	<ul> <li>P260 Do not breathe dust/fume/gas/mist/vapours/spray.</li> <li>P264 Wash thoroughly after handling.</li> <li>P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection/</li> <li>P301+P330+P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</li> <li>P363 Wash contaminated clothing before reuse.</li> <li>P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.</li> <li>P316 Get emergency medical help immediately.</li> <li>P321 Specific treatment (see on this label).</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several</li> </ul>
	minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P305+P354+P338 IF IN EYES: Immediately rinse with water for several
	minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P317 Get medical help.
	3. Composition
Chemical Family: Additional Names:	Ceramic Dilithium peroxide
Lithium Peroxide (Li <sub>2</sub> O <sub>2</sub> ):	
Percentage:	100 wt%
CAS #:	12031-80-0
EG #	224 550 0

234-758-0

	4. First Aid Procedures
General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None
Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult.
Ingestion:	Seek medical attention. Rinse mouth. Do not induce vomiting.
Skin:	Wash affected area with mild soap and water. Remove any
_	contaminated clothing.
Eyes:	Flush eyes with water, blinking often for several minutes. Remove
	contact lenses if present and easy to do. Continue rinsing
	5. Firefighting Measures
Flammability:	Non-flammable
Extinguishing Media:	No special restrictions – use suitable extinguishing agent for surrounding material and type of fire.
Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective
	clothing to prevent contact with skin and eyes. See section 10 for
	decomposition products.
	6. Accidental Release Measures
If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in
	special protection information. Isolate spill area and provide
	ventilation. Vacuum up spill using a high efficiency particulate
	absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
Environmental Precautions:	Isolate runoff to prevent environmental pollution.
	7. Handling and Storage
Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from
Work/Hygienic Maintenance:	materials and conditions listed in section 10. Do not use tobacco or food in work area. Wash thoroughly before
work/rrygienie Wannenance.	eating and smoking. Do not blow dust off clothing or skin with
	compressed air.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below
	threshold limit.
8.	Exposure Controls and Personal Protection
Permissible Exposure Limits:	N/A
Threshold Limit Value:	N/A
Special Equipment:	None
Respiratory Protection:	Dust Respirator
Protective Gloves:	Rubber gloves
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long
	sleeves/pants.

9. Physical and Chemical Characteristics		
Color	Off-white	
Form:	Powder, Granules, Pellets	
Odor:	Odorless	
Water Solubility:	8% in water at 20 deg C	
Boiling Point:	N/A	
Melting Point:	340°C (dec.)	
Flash Point:	N/A	
Autoignition Temperature:	N/A	
Density:	2.31 g/cc	
Molecular weight:	45.88 g/mol	
	10. Reactivity	
Stability:	Oxidizer: Contact with combustible/organic material may cause fire.	
Reacts With:	Water	
Incompatible Conditions:	Strong oxidizing agents, Strong reducing agents, Combustible materia	
Hazardous Decomposition Products:	Dangerous fire and explosion risk in contact with organic materials	
	11. Toxicological Information	
Potential Health Effects:		
Eyes:	N/A	
Skin:	N/A	
Ingestion:	N/A	
Inhalation:	N/A	
Chronic:	N/A	
Signs & Symptoms:	N/A	
Aggravated Medical Conditions:	N/A	
Median Lethal Dose:	N/A	
Carcinogen:	N/A	
	12. Ecological Information	
Aquatic Toxicity:	N/A	
Persistent Bioaccumulation Toxicity:	No	
Very Persistent, Very Bioaccumulative:	No	
Notes:	N/A	
	13. Disposal Considerations	

Dispose of in accordance with local, state, national, and international regulations.

	14. Transportation Data	
Hazardous:	Hazardous for transportation	
Hazard Class:	5.1	
Packing Group:	II	
UN Number:	UN1472	
Proper Shipping Name:	LITHIUM PEROXIDE	
	15. Regulatory Information	
Sec 302 Extremely Hazardous:	No	
Sec 302 Extremely Hazardous: Sec 304 Reportable Quantities:	No N/A	

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised:

05/16/2017