

XI'AN FUNCTION MATERIAL GROUP CO., LTD

Safety Data Sheet Niobium stannide

1.	Product	and	Company	Id	lenti	fica	tion
		******	Company				

Trade Name: Niobium stannide

Chemical Formula: Nb₃Sn

Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD

Street: No. 69, Gazelle Valley, High-Tech Zone

City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China

Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H228: Flammable solid

Precautionary Statements: P210: Keep away from heat/sparks/open flames/hot surfaces – No

smoking

P280: Wear protective gloves/protective clothing/eye protection/face

protection

P240: Ground/bond container and receiving equipment

P241: Use explosion-proof electrical/ventilating/light/equipment

P370+P378: In case of fire: Use CO₂ or powder for

extinction

HMIS Health Ratings (0-4): Powder Bulk

 Health:
 1
 0

 Flammability:
 3
 0

 Physical:
 1
 0

3. Composition

Chemical Family: Alloy

Additional Names: Niobium-tin, triniobium-tin

Niobium stannide (Ni₃Sn):

Percentage: 0-100 wt% CAS #: 12035-04-0t EC #: N/A

4. First Aid Procedures General Treatment: Seek medical attention if symptoms persist. Special Treatment: None Important Symptoms: None Remove victim to fresh air. Supply oxygen if breathing is difficult. Inhalation: Seek medical attention. Ingestion: Wash affected area with mild soap and water. Remove any Skin: contaminated clothing. Flush eyes with water, blinking often for several minutes. Remove Eyes: contact lenses if present and easy to do. Continue rinsing 5. Firefighting Measures Flammability: Flammable as powder only Extinguishing Media: Do not use water for metal fires – use CO₂, sand, extinguishing powder. Spec. Fire Fighting Procedure: Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products. 6. Accidental Release Measures Wear appropriate respiratory and protective equipment specified in If Material Is Released/Spilled: special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust. **Environmental Precautions:** Isolate runoff to prevent environmental pollution. 7. Handling and Storage Wash thoroughly after handling. **Handling Conditions:** Store in a cool dry place in a tightly sealed container. Store apart from **Storage Conditions:** materials and conditions listed in section 10. Work/Hygienic Maintenance: Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Ventilation: Provide sufficient ventilation to maintain concentration at or below threshold limit. 8. Exposure Controls and Personal Protection Permissible Exposure Limits: 2 mg/m³ as Sn metal, long-term value Threshold Limit Value: 2 mg/m³ as Sn metal, long-term value **Special Equipment:** None **Respiratory Protection:** Use a respirator with type P100 (USA) or P3 (EN143) cartridges as a backup to engineering controls. Risk assessment should be performed to determine if air-purifying respirators are appropriate. Only use equipment tested and approved under appropriate government standards. **Protective Gloves:** Nitrile rubber, NBR 0.11mm thick. Penetration time of glove material: 480 minutes Eye Protection: Safety glasses or goggles **Body Protection:** Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics						
Color	Grey					
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts					
Odor:	Odorless					
Water Solubility:	N/A					
Boiling Point:	N/A					
Melting Point:	N/A					
Flash Point:	N/A					
Autoignition Temperature:	N/A					
Density:	N/A					
Molecular weight:	397.43 g/mol					
	10. Reactivity					
Stability:	Stable under recommended storage conditions					
Reacts With:	Oxidizing agents					
Incompatible Conditions:	None					
Hazardous Decomposition Products:	Metal oxide fume					
	11. Toxicological Information					
Potential Health Effects:						
Eyes:	May cause irritation					
Skin:	May cause irritation					
Ingestion:	May cause irritation					
Inhalation:	May cause irritation					
Chronic:	N/A					
Signs & Symptoms:	N/A_					
Aggravated Medical Conditions:	N/A					
Median Lethal Dose:	N/A					
Carcinogen:	N/A					
	12. Ecological Information					
Aquatic Toxicity:	Low					
Persistent Bioaccumulation Toxicity:	No					
Very Persistent, Very Bioaccumulative:	No					
Notes:	N/A					

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous: Hazardous as powder only.



Hazard Class: 4.1 Flammable solids, self-reactive substances and solid desensitized

explosives

Packing Group:

UN Number: UN3089

Proper Shipping Name: Metal powders, flammable, n.o.s. (Niobium stannide)

15. Regulatory Information

Sec 302 Extremely Hazardous:NoSec 304 Reportable Quantities:N/ASec 313 Toxic Chemicals:No

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/01/2019